



**PRODUCT  
PROGRAMM  
2025**



**MAKE SURE THAT IT'S SCHURR. ENERGY-SAVING + SUSTAINABLE.**



**Our products are created in collaboration with our customers and are based on the central wisdom of farmers:**

**„Well brushed is half fed!“**

Wisdom handed down by farmers

#### Production

Made in Germany! Our products are developed, manufactured and assembled at our site in Uttenweiler/Germany. This enables us to guarantee the highest standards and offer solutions that set standards worldwide.

#### Logistic

We take care of the entire process. From the preparation of the necessary export documents through to customs declaration. Whether individual products on pallets or entire 40" containers: We offer flexible shipping options. You can rely on our professional and reliable service for worldwide shipping.

#### Quality

Our products stand for the highest quality that you can rely on. By using first-class components, we ensure that our products work reliably even under the most demanding conditions. Invest in quality that will last for years - for maximum efficiency and minimum downtime.

#### Development

Our developments are specially tailored to the needs of animals and humans to ensure maximum efficiency, safety and comfort. We identify potential problems at an early stage and react quickly in order to make continuous improvements and constantly optimise our products.

#### Marketing

We rely on diverse marketing: Whether at trade fairs, on social media or through traditional advertisements - we use various platforms to reach our customers directly. This keeps us flexible, close to our customers and can promote our products and values in many different ways.

#### Distribution

Our distribution ranges from small, dedicated one-man dealers to large distribution partners offering thousands of items. Some of our partners sell SCHURR products exclusively, others carry a wide range of products - but they all have one thing in common: a focus on long-lasting quality. This strong partnership ensures that our customers worldwide have access to high-quality solutions.



#### Sustainability

For us, sustainability begins with durability. By extending the service life of our products, we reduce the consumption of resources and minimise scrap and waste. In this way, we actively contribute to a more environmentally friendly future - economically and ecologically sensible.

#### Service

Our first-class spare parts service ensures that our products always run smoothly, even after many years. With fast delivery times, comprehensive availability and personalized advice, we offer you exactly the spare parts you need - reliably and in the highest quality.






In the constant endeavour to improve animal welfare,  
and at the same time create high-quality and long-lasting  
products, SCHURR has developed a pioneering innovation:

# THE **SCHURR 2-BRUSH-SYSTEM**

## MOVABLE AND FLEXIBLE IN ALL DIRECTIONS

Our patented parallelogram design enables all cows of different sizes to brush and clean themselves safely. The construction offers flexibility that is unique in the world.



2022  
**D22**



2012  
**C12**



2004  
**B00**



2000  
**B00**



1992  
**A92**



Videos about our products:  
[www.youtube.com/schurrgeraetebau](https://www.youtube.com/schurrgeraetebau)  
or scan the QR code







# THE ORIGINAL SINCE 1992

## SCHURR 2-BRUSH-SYSTEM

The milk yield of your cows depends on the well-being and comfort of your animals - only healthy and well-groomed dairy cows perform well!

Our SCHURR 2-brush-system fulfils the requirements and needs of your cows perfectly. With one horizontal and one vertical brush, selective cleaning of the back, head, chest area and sides possible.

There are two brush models that differ only in the motor and the associated control unit. All components have been specially developed and optimised for our cow brushes.

The D22 model with electricity cost savings, compared to the B00 model, of up to EUR 3 per cow/year significant CO<sub>2</sub> savings and the very long service life of a SCHURR cow brush is extremely sustainable.

**Model type B00 with standard motor and model type D22 with energy saving motor are both available!**

### SUSPENSION

- vertical movement of the two brushes approx. 25 cm
- movable to the side

### BRUSHES

- high-quality & abrasion-resistant nylon material
- long service life

### MOTOR + ELECTRONICS

- suitable for indoor and outdoor use
- changes the direction in case of overload

### GEARBOX

- best characteristics in terms of stability and robustness
- maintenance-free gearbox

### CHOOSE BETWEEN DIFFERENT SCHURR MOTORS



#### STANDARD MOTOR TYPE B00

- proven a thousand times over, in use worldwide for many years
- available with various specifications, e.g. 200V/60Hz, with UL/CSA label etc.



#### ENERGY SAVING MOTOR TYPE D22

- saves at least 35% energy
- fulfils the latest guidelines for energy and CO<sub>2</sub> savings
- electronics and motor are separate and available separately





THE SOLUTION FOR  
GRAZING COWS



Type D22  
solar



Type D22

SURVEY ON COW BRUSHES

„SCHURR scored best with an  
average grade of 1.4“

top  
agrar



energy saving motor  
and frequency inverter  
interchangeable



start by rotary  
motion



stable, robust SCHURR  
special gearbox with long  
service life



waterproof & dustproof

100°

100° constant angle  
of the brushes





# THE **SCHURR** 2-BRUSH-SYSTEM FOR GOATS, PIGS & CALVES

A 2-brush-system with vertical and horizontal brushes offers the animals an optimum opportunity for self-care and relaxation. The gentle brushing removes dirt and loose hair, which not only increases the well-being of the animals, but also improves hygiene in the barn.

Our SCHURR 2-brush-system is enthusiastically accepted by the animals and regularly used independently.

The 2-brush-system starts with a slight twist of the brushes. In addition, the electronics react to the movement of the entire device and also start when the brush is lifted. The appliance runs as long as the animal is under the brush. If the animal leaves the brush, the appliance switches off again after a certain time has elapsed.

In contrast to conventional brushing systems, the vertical brush of the SCHURR 2-brush-system for goats, calves & pigs is freely accessible from all sides. This not only enables targeted cleaning and care of the animals, but also ensures maximum safety and minimises the risk of possible injuries.

## **SUSPENSION**

- at least approx. 30 cm height levelling
- maximum protection for the horned animals

## **BRUSHES**

- high-quality & abrasion-resistant nylon material
- long service life

## **MOTOR + ELECTRONIC**

- for indoor and outdoor use
- start by turning the brushes and pushing by the animals

## **GEARBOX**

- start by turning the brushes and pushing up by the animals
- for heavy-duty continuous operation





vertical brush  
freely accessible  
from all sides  
**Maximum safety!**



stable, robust SCHURR  
special gearbox with long  
service life



waterproof & dustproof

**100°**

100° constant angle  
of the brushes





# THE SCHURR HOOF TRIMMING BOX STANDARD MODEL

The basic prerequisite for animal-friendly and professional hoof care is suitable and modern equipment. With our SCHURR hoof trimming box you are ideally equipped.

The animal is guided into the hoof trimming box from behind. It is secured by the neck frame (standard model) or the two doors (model 2021). The animal can leave the box either forwards or backwards after treatment.

**Options and special versions:**  
on request, at an extra charge

- LED electric package
- 3-point suspension
- Door hinge at rear left
- Lugs for dowelling/suspension
- L- and XXL-version for different breeds
- pneumatic tires







# THE **SCHURR** HOOF TRIMMING BOX MODEL 2021

**NEW:**  
now also avail-  
able to order  
with LED electric  
package



New model '2021' with doors that open simultaneously. Previously (standard model) with neck frame bars that can be swivelled to the side individually.

# NEW PRODUCTS MADE BY **SCHURR**



## **SCHURR** EASYBRUSH



Discover the innovative and cost-effective solution for animal care - the SCHURR Easybrush! Specially developed for goats, pigs and calves, this simple 2-brush-system offers an optimal combination of cleaning and massage that increases the well-being of your animals.

Thanks to the unique oscillating movement and the durable nylon brushes, the SCHURR Easybrush provides gentle but thorough cleaning that is customised to the animals needs.

The brushes are ideal for removing dirt, dust and loose hair, while providing a pleasant massage that promotes circulation and improves overall well-being.

The SCHURR Easybrush is easy to install and offers an effective and stress-free solution for daily animal grooming. It is also ideal for group housing of calves.



## **SCHURR** BELLY BRUSH

Together with a farmer from Switzerland, the idea that the animals also like to massage, stimulate and clean their bellies and udders was turned into a new device. The well-known SCHURR 2 brush system was turned on its head!

The up and down movement mechanism has been modified so that the smaller animals can clean and massage their tummies and udders. There has never been a brush specifically for the belly and udder of animals like this before!





## SCHURRfix



- Scratching or scrubbing brush for coat care and massage of cows, bulls, calves, goats, pigs, donkeys, horses, zoo animals,... and many other animals!
- High-quality, abrasion-resistant and kink-resistant brushes made of the best material, which guarantee a longer service life.

- For quick and easy installation on concrete, brick or wooden walls, etc. - can even be mounted on round posts
- By installing a SCHURRfix, you fulfil the guidelines of various animal welfare initiatives and animal husbandry regulations

## SCHURRfix POST

Scrubbing options for animals are necessary and indispensable! Whether rotating or fixed - almost every animal likes to rub and scratch itself. It is a pleasure to watch the animals grooming themselves. With the SCHURRfix post, there is also a rigid, free-standing version for the pasture.

## SCHURR BOOT CLEANER

The SCHURR boot cleaner is used for simple, quick and effective boot cleaning on the farm or in the stable - but also in all other areas, e.g. construction sites, butcher's shops, sports grounds, etc.

The two brushes can be used to conveniently clean the soles, sides, instep and heel of boots. The vertical brush is semi-circular so that all round areas of the boot can be brushed.

The water connection is used to increase the cleaning effect.

The frame at the bottom is made of galvanised steel - the water pipes are made of plastic.

- simple, targeted boot cleaning in the stable and yard
- connect the water hose (quick-release coupling), ready for immediate use



GEKA quick coupling for flexible use on site



easy & low-cost replacement of brush elements



# TECHNICAL DETAILS

## SCHURR PRODUCT PROGRAMM

2 years  
warranty  
on all parts



goats, pigs, calves...

|                      | SCHURR 2-brush-system<br>type for goats, calves, pigs                                                                                         | SCHURR 2-brush-system<br>type easybrush                                                                                      |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| Motor                | 230 V / 50 Hz                                                                                                                                 | 230 V / 50 Hz                                                                                                                |
| Consumption          | approx. 250 Watt                                                                                                                              | approx. 250 Watt                                                                                                             |
| Height compensation  | 11.8" (300 mm) (to the top)                                                                                                                   | approx. 5.9" (150 mm) (oscillating bearing)                                                                                  |
| Rotation             | 60 rpm                                                                                                                                        | 60 rpm                                                                                                                       |
| Outreach (from wall) | 900 mm                                                                                                                                        | 850 mm                                                                                                                       |
| Weight               | 85 kg                                                                                                                                         | 64 kg                                                                                                                        |
| Size (L x W x H)     | 932 x 270 x 1520 mm                                                                                                                           | 932 x 310 x 840 mm                                                                                                           |
| Start function       | by rotation of the brushes                                                                                                                    | by rotation of the brushes                                                                                                   |
| Brush material       | Nylon 6.6                                                                                                                                     | Nylon 6.6                                                                                                                    |
| Key features         | <ul style="list-style-type: none"> <li>· effective size adjustment</li> <li>· proven for years</li> <li>· German Design Award 2019</li> </ul> | <ul style="list-style-type: none"> <li>· novelty</li> <li>· oscillating movement</li> <li>· small size adjustment</li> </ul> |
| Article number       | 50010                                                                                                                                         | 50030                                                                                                                        |

rigid brushes



|                  | SCHURR<br>boot cleaner | SCHURRfix<br>type 500                                                                                                                                                          | SCHURRfix<br>type 1000 | SCHURRfix<br>type 6025                                                                                                                                              | SCHURRfix<br>Post                                                                           |
|------------------|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| Weight           | 13 kg                  | 3,1 kg                                                                                                                                                                         | 6,6 kg                 | 4,9 kg                                                                                                                                                              | -                                                                                           |
| Size (L x W x H) | 470 x 330 x 1060 mm    | 485 x 240 x 160 mm                                                                                                                                                             | 970 x 240 x 160 mm     | 605 x 250 x 90 mm                                                                                                                                                   | -                                                                                           |
| Brush material   | Nylon 6.0 und 6.6      | Nylon 6.0 und 6.6                                                                                                                                                              | Nylon 6.0 und 6.6      | Nylon 6.0 und 6.6                                                                                                                                                   | at option                                                                                   |
| Key features     | with water supply      | <ul style="list-style-type: none"> <li>· rigid scuffing option with limited service life</li> <li>· fulfills QM++ features</li> <li>· Can be mounted on round posts</li> </ul> |                        | <ul style="list-style-type: none"> <li>· Rigid scuffing option with limited service life</li> <li>· fulfills QM++ features</li> <li>· good wall mounting</li> </ul> | <ul style="list-style-type: none"> <li>· novelty</li> <li>· suitable for herbage</li> </ul> |
| Article number   | 6000                   | 23-0001                                                                                                                                                                        | 23-0002                | 23-0003                                                                                                                                                             | 23-0005                                                                                     |





## large animals

|                     | SCHURR 2-brush-system<br>type B00                                                                                  | SCHURR 2-brush-system<br>type D22                                                                                          | SCHURR 2-brush-system<br>type D22 solar                                                                                                | SCHURR 2-brush-system<br>Type B00 belly brush                                                      |
|---------------------|--------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| Motor               | 230 V / 50 Hz                                                                                                      | Energy-safing-motor 230 V                                                                                                  | Energy-safing-motor 230 V / 50 Hz                                                                                                      | 230 V / 50 Hz                                                                                      |
| Consumption         | approx. 300 Watt                                                                                                   | approx. 170 Watt                                                                                                           | 170 Watt                                                                                                                               | 300 Watt                                                                                           |
| Height compensation | approx. 9.82" (250 mm)                                                                                             | approx. 9.82" (250 mm)                                                                                                     | approx. 9.82" (250 mm)                                                                                                                 | approx. 9.82" (250 mm)                                                                             |
| Rotation            | 60 rpm                                                                                                             | 60 rpm                                                                                                                     | 60 rpm                                                                                                                                 | 60 rpm                                                                                             |
| Nosing (from wall)  | approx. 43.30" (1100 mm)                                                                                           | approx. 43.30" (1100 mm)                                                                                                   | -                                                                                                                                      | approx. 45.27" (1150 mm)                                                                           |
| Weight              | 120 kg                                                                                                             | 120 kg                                                                                                                     | 120 kg device & 970 kg support post with techn. parts                                                                                  | 120 kg                                                                                             |
| Size (L x W x H)    | 1150 x 300 x 1400 mm                                                                                               | 1150 x 300 x 1400 mm                                                                                                       | 1200 x 1300 x 3000 mm                                                                                                                  | 1150 x 300 x 1520 mm                                                                               |
| Start function      | by rotation of the brushes                                                                                         | by rotation of the brushes                                                                                                 | by rotation of the brushes                                                                                                             | by rotation of the brushes                                                                         |
| Brush material      | Nylon 6.6                                                                                                          | Nylon 6.6                                                                                                                  | Nylon 6.6                                                                                                                              | Nylon 6.6                                                                                          |
| Key features        | <ul style="list-style-type: none"> <li>in use worldwide since 2000</li> <li>the original 2-brush-system</li> </ul> | <ul style="list-style-type: none"> <li>saves 35% energy</li> <li>Frequency converter is an in-house development</li> </ul> | <ul style="list-style-type: none"> <li>solution for the pasture with solar module, battery and inverter</li> <li>mobile use</li> </ul> | <ul style="list-style-type: none"> <li>new product</li> <li>cleans belly and udder area</li> </ul> |
| Article number      | 12-0010                                                                                                            | 22-0001                                                                                                                    | 12-0017                                                                                                                                | 22-0015                                                                                            |

Technical changes and errors excepted.

## Claw trimming

|                  | SCHURR hoof trimming box<br>model Standard                                                                                                                   | SCHURR hoof trimming box<br>model 2021                                                                                                                                  |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Fixing           | Neck frame bracket                                                                                                                                           | hinged doors                                                                                                                                                            |
| Opening          | solitary and outwards                                                                                                                                        | simultaneously In both directions                                                                                                                                       |
| Weight           | 262 kg                                                                                                                                                       | 301 kg                                                                                                                                                                  |
| Size (L x W x H) | 2350 x 1060 x 1700 mm                                                                                                                                        | 2450 x 1060 x 1780 mm                                                                                                                                                   |
| Key features     | <ul style="list-style-type: none"> <li>low-cost solution</li> <li>for horned animals</li> </ul>                                                              | <ul style="list-style-type: none"> <li>quick fixation</li> <li>easy budding</li> </ul>                                                                                  |
| Options          | <ul style="list-style-type: none"> <li>chassis</li> <li>welded-on lugs or eyelets for fastening/suspension</li> <li>rear door hinge left or right</li> </ul> | <ul style="list-style-type: none"> <li>LED light and sockets (2021 model only)</li> <li>version in L, XL and XXL possible</li> <li>further wishes on request</li> </ul> |
| Article number   | 8001-3                                                                                                                                                       | 8001-5                                                                                                                                                                  |



# SCHURR DOUBLE EXPERTISE: LEADING IN TWO FIELDS

We are a family business based in southern Germany and have been on the market since 1992 with an automatic 2-brush system for dairy cows and other products of our own for the agricultural sector. Our SCHURR cow brushes are in use all over the world.

Since 1996, we have been your reliable partner in the hydraulic lift sector with protective pipe refurbishments made of stainless steel.

As a certified specialist company in accordance with the German Water Resources Act (WHG), we work with numerous lift companies and direct customers.

Our range includes numerous services relating to hydraulic lifts:

- Stainless steel protective tubes in any diameter & length
- replacement of hydraulic units
- sealing lifting cylinders
- Leak tests
- replacing pressure hoses and other tasks and services relating to hydraulic lifts

**SCHURR**   
Schutzrohre + Aufzugshydraulik





As an internationally active family business, we are proud to supply our high-quality products to over 65 countries worldwide. Despite our global success, we remain true to our values and maintain close, partnership-based relationships with our customers and suppliers. Our combination of tradition, innovation and personal commitment makes us a reliable partner on an international level.



# 65

Our products are in use in 65 countries worldwide.

# 25

25 motivated and ambitious employees work in the Schurr team.

# 370

370 dealers worldwide sell our SCHURR products.

Austria · Azerbaijan · Barbados · Belarus · Belgium · Brazil · Bulgaria · Canada · China · Colombia · Czech Republic · Cyprus · Denmark · Dominica · Estonia · Finland · France · Greece · Germany · Great Britain · Guatemala · Hungary · India · Indonesia · Iraq · Ireland · Iceland · Israel · Italy · Japan · Jordan · Kazakhstan · Kenya · Korea · Kuwait · Latvia · Liechtenstein · Lithuania · Luxembourg · Malta · Mexico · Netherlands · New Zealand · Norway · Poland · Portugal · Qatar · Republic of Croatia · Romania · Russian Federation · Saudi-Arabia · Sweden · Switzerland · Senegal · Serbia · Singapore · Slovakia · Slovenia · Spain · Taiwan · Turkey · Ukraine · United Arab Emirates · United States of America · Vietnam



*Family business with 25 employees  
Location Uttenweiler*



**Schurr Gerätebau GmbH**  
Specialist area for agricultural products

Development and manufacture of brush systems and other products for agriculture with worldwide sales, service & reliable spare parts supply.

Langer Rain 2, D-88524 Uttenweiler  
Tel.: +49 (0) 7374 92 99 02 0  
Fax: +49 (0) 7374 91162

info@schurr-geraetebau.de  
www.schurr-geraetebau.de



**Schurr Gerätebau GmbH**  
Specialist department for lift hydraulics

Reliable partner for all aspects of stainless steel protective pipe renovations/collection pipes and for many other tasks relating to lift hydraulics.

Langer Rain 2, D-88524 Uttenweiler  
Tel.: +49 (0) 7374 92 99 02 0  
Fax: +49 (0) 7374 91162

info@schurr-aufzugshydraulik.de  
www.schurr-aufzugshydraulik.de

Practical video and more pictures on:



<http://www.youtube.com/schurrgeraetebau>



<http://www.facebook.com/schurrgcowbrush>



For (even) better Service:

**WWW.SCHURR.DIGITAL**

- Go to this website
- Enter serial number
- Download information

